

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A280.3479
M34P

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1963

July 31, 1963

Inspected Poultry - The number of head and pounds live weight (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U. S. D. A. in June 1963 were 180,695,000 head, 671,578,000 pounds, compared with 184,829,000 head and 684,710,000 pounds in June 1962. The number of head and pounds (live weight) inspected by classes were: young chickens, 167,536,000 head, 569,883,000 pounds; mature chickens, 8,236,000 head, 40,505,000 pounds; fryer-roaster turkeys, 1,055,000 head, 9,100,000 pounds; young turkeys, 1,541,000 head, 23,147,000 pounds; old turkeys, 1,087,000 head, 21,020,000 pounds; and ducks 1,240,000 head, 7,923,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June 1963 totaled 489,203,000 pounds ready-to-cook weight of which 398,968,000 pounds were iced and 90,235,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 414,002,000 pounds; mature chickens, 27,527,000 pounds; fryer-roaster turkeys, 7,007,000 pounds; young turkeys, 18,449,000 pounds; old turkeys, 16,566,000 pounds; ducks, 5,533,000 pounds; and other poultry, 119,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in June 1963 totaled 41,730,000 pounds ready-to-cook weight, compared with 38,689,000 pounds in June 1962. The quantity used in June 1963 consisted of 7,861,000 pounds of young chickens, 18,135,000 pounds of mature chickens, 12,616,000 pounds of turkeys, and 3,118,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and packaged in plants under Federal inspection in June 1963 was 64,178,000 pounds ready-to-cook weight, compared with 61,150,000 pounds a year earlier. The quantity cut-up during June consisted of 60,521,000 pounds of young chickens, 465,000 pounds of mature chickens, 3,086,000 pounds of turkeys, and 106,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,851,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.27 percent; mature chickens, 0.53 percent; fryer-roaster turkeys, 0.13 percent; young turkeys, 0.14 percent; old turkeys, 0.11 percent; and ducks, 0.03 percent.

Post-mortem condemnations in June 1963 amounted to 12,018,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.01 percent; mature chickens, 2.58 percent; fryer-roaster turkeys, 1.54 percent; young turkeys, 1.32 percent; old turkeys, 1.77 percent; and ducks 1.02 percent. In June 1962, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.80 percent; mature chickens, 2.46 percent; fryer-roaster turkeys, 1.23 percent; young turkeys, 1.39 percent; old turkeys, 1.86 percent; and ducks, 1.01 percent.

Poultry: Slaughtered under Federal Inspection, June 1963 with comparisons

Class	Number inspected			Pounds inspected (live weight)			Average live weight		
	June			June			June		
	May 1963	1962	1963	May 1963	1962	1963	May 1963	1962	1963
	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Pounds	Pounds	Pounds
Young chickens	166,340	171,849	167,536	864,756	894,420	573,231	580,770	569,883	2,951,897
Mature chickens	9,535	8,217	8,236	47,574	50,882	47,168	40,611	40,505	235,645
Total chickens	175,875	180,066	175,772	912,330	945,302	621,399	621,381	610,388	3,187,542
Fryer-roasters	1,062	901	1,055	5,447	5,334	9,119	7,576	9,100	47,209
Young turkeys	848	1,884	1,541	6,030	5,000	12,906	31,938	23,147	113,110
Old turkeys	849	864	1,087	1,903	2,458	17,196	16,640	21,020	37,336
Total turkeys	2,759	3,649	3,683	13,380	12,792	39,221	56,154	53,267	197,655
Ducks	1,295	1,114	1,240	3,915	4,327	8,486	7,175	7,923	25,227
Other poultry	---	---	---	---	---	193	217	225	920
Total poultry	---	---	---	---	---	669,299	684,927	671,803	3,411,344

Pounds certified (ready-to-cook weights)

Class	May 1963			June 1963			January-June 1962			January-June 1963		
	Iced			Iced			Iced			Iced		
	Frozen	Total	Pounds	Frozen	Total	Pounds	Frozen	Total	Pounds	Frozen	Total	Pounds
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Young chickens	375,463	417,236	375,725	45,723	421,448	373,921	40,081	414,002	1,895,384	235,437	2,130,821	1,998,755
Mature chickens	21,458	32,097	18,050	9,848	27,898	17,884	9,643	27,527	110,426	52,995	163,421	114,805
Total chickens	397,101	449,333	393,775	55,571	449,346	391,805	49,724	441,529	2,005,810	288,432	2,294,242	2,113,560
Fryer-roasters	1,968	5,069	7,037	1,717	4,118	5,835	1,539	7,007	9,139	27,717	36,856	7,904
Young turkeys	1,744	8,472	10,216	2,836	22,692	25,528	3,563	18,449	13,670	76,480	90,150	13,636
Old turkeys	1,512	12,158	13,670	1,392	11,736	13,128	1,958	16,566	2,744	26,760	29,504	4,382
Total turkeys	5,224	25,699	30,923	5,945	38,546	44,491	7,060	42,022	25,553	130,957	156,510	25,922
Ducks	194	5,770	5,964	90	4,928	5,018	101	5,432	795	17,040	17,835	836
Other poultry	3	100	103	1	114	115	2	117	8	484	492	11
Total poultry	402,522	83,801	486,323	399,811	99,159	498,970	398,968	90,235	489,203	2,032,166	436,913	2,140,329

Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1963 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight)			Pounds (live weight)			Pounds (live weight)			Pounds (live weight)		
	June	1962	1963	June	1962	1963	June	1962	1963	June	1962	1963
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,210	1,563	1,210	1,210	1,563	1,210	1,210	1,563	1,210	1,210	1,210	1,210
Total chickens	1,356	1,779	1,356	1,356	1,779	1,356	1,356	1,779	1,356	1,356	1,356	1,356
Fryer-roasters	8	12	8	8	12	8	8	12	8	8	8	8
Young turkeys	44	32	44	44	32	44	44	32	44	44	44	44
Old turkeys	27	24	27	27	24	27	27	24	27	27	27	27
Total turkeys	79	68	79	79	68	79	79	68	79	79	79	79
Ducks	1	3	1	1	3	1	1	3	1	1	1	1
Other poultry	1	1	1	1	1	1	1	1	1	1	1	1
Total	1,437	1,851	1,437	1,437	1,851	1,437	1,437	1,851	1,437	1,437	1,437	1,437

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, June 1963 with comparisons 1/

Class	Pounds used ready-to-cook weight						Pounds condemned ready-to-cook weight					
	Pounds used ready-to-cook weight			Pounds used ready-to-cook weight			Pounds used ready-to-cook weight			Pounds used ready-to-cook weight		
	May	June	1963	May	June	1963	May	June	1963	May	June	1963
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Further processed	8,824	8,150	8,824	8,824	8,150	8,824	8,824	8,150	8,824	8,824	8,824	8,824
Cut up	61,866	56,809	61,866	61,866	56,809	61,866	61,866	56,809	61,866	61,866	61,866	61,866
Mature chickens	21,755	16,395	21,755	21,755	16,395	21,755	21,755	16,395	21,755	21,755	21,755	21,755
Further processed	765	1,180	765	765	1,180	765	765	1,180	765	765	765	765
Turkeys	13,726	11,264	13,726	13,726	11,264	13,726	13,726	11,264	13,726	13,726	13,726	13,726
Further processed	2,851	2,785	2,851	2,851	2,785	2,851	2,851	2,785	2,851	2,851	2,851	2,851
Other poultry 2/	3,289	2,880	3,289	3,289	2,880	3,289	3,289	2,880	3,289	3,289	3,289	3,289
Further processed	87	376	87	87	376	87	87	376	87	87	87	87
Total	47,594	38,689	47,594	47,594	38,689	47,594	47,594	38,689	47,594	47,594	47,594	47,594
Further processed	65,569	61,150	65,569	65,569	61,150	65,569	65,569	61,150	65,569	65,569	65,569	65,569

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry".

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1962 and 1963

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds : certified (Ready-to-cook wt.)		Post-mortem condemnations	
		1962	1963	1962	1963	1962	1963	1962	1963
		Thou.	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Pounds (NYD)	Percent
N. Atl.	13,510	12,871	50,803	49,629	3,86	36,507	35,632	829	1.86
E. N. Cent.	4,213	3,509	14,769	12,220	3.51	10,704	8,911	173	1.58
W. N. Cent.	5,058	4,870	16,861	15,946	3.33	12,080	11,474	238	1.67
S. Atl.	70,712	70,985	239,362	245,001	3.39	175,051	179,407	4,109	1.87
S. Cent.	73,959	71,862	243,351	234,589	3.29	175,951	169,593	4,192	2.22
West	4,397	3,439	15,624	12,498	3.55	11,155	8,985	257	2.29
U. S.	171,849	167,536	580,770	569,883	3.38	421,448	414,002	9,388	2.01
Maine	5,154	5,148	19,705	20,145	3.82	14,529	14,813	417	2.07
Mass.	628	481	2,364	1,866	3.77	1,696	1,316	39	2.93
Conn.	1,014	703	3,363	2,599	3.32	2,284	1,785	67	2.63
N. J. 3/	33	27	149	129	4.51	29	36	---	.26
Pa.	6,049	6,166	22,897	23,605	3.79	16,427	17,059	298	1.45
Ohio	1,126	815	3,961	2,888	3.52	2,894	2,116	43	1.22
Ind.	1,662	1,256	5,468	4,086	3.29	3,065	2,966	58	1.19
Ill.-Mich 4/	263	365	1,050	1,339	3.99	751	929	11	1.01
Wis.	1,162	1,073	4,290	3,907	3.64	3,094	2,900	38	1.17
Minn. 5/	773	---	2,757	---	3.57	2,057	---	32	.99
Mo.	4,138	4,120	13,404	13,298	3.24	9,500	9,497	233	1.31
Del.	7,235	7,340	27,239	27,661	3.76	20,217	20,428	196	1.94
Md.	9,090	9,503	33,464	36,014	3.68	24,205	25,811	477	1.41
Va.	4,922	5,014	14,882	14,728	3.02	10,689	10,436	384	1.28
N. C.	16,819	17,590	57,032	60,356	3.39	41,690	44,518	141	1.05
S. C.	1,678	2,037	5,586	6,228	3.33	3,990	4,518	763	1.49
Ga.	30,076	28,439	98,287	95,858	3.27	72,191	70,701	103	2.07
Ky.	2,424	2,003	8,172	6,748	3.37	5,790	4,764	1,763	2.00
Tenn.	5,357	5,165	18,135	16,990	3.37	13,338	12,446	100	2.00
Ala.	18,499	16,673	61,907	55,870	3.35	45,266	40,924	246	1.51
Miss.	12,935	13,474	42,580	43,339	3.29	31,242	31,837	257	2.11
Ark.	21,461	22,081	69,099	70,698	3.22	48,843	49,991	1,111	2.00
La.-Okla. 4/	3,143	3,588	10,376	11,831	3.30	7,624	8,612	679	2.11
Texas	10,140	8,878	33,082	29,113	3.26	23,848	21,019	1,418	2.28
Idaho	450	447	1,510	1,503	3.36	1,109	1,087	180	1.93
Utah 3/ 5/	33	---	117	---	3.50	88	---	458	1.54
Wash.	910	743	3,401	2,680	3.74	2,421	1,918	14	.80
Calif.	3,004	2,213	10,596	8,185	3.53	7,537	5,883	33	1.08
								205	3.70

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

4/ Combined to avoid disclosure of individual operations.

5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, June 1963

Region and State	:Tuber- :culosis	:No.	:Leu- :cosis	:Septi- :cemia	:Airsac- :culitis	:Inflam- :matory	:Tumors :sites	:Bruises :No.	:Cndaver :ination	:Contam-: Over-: Decom-:			: Total
										:No.	:No.	:No.	
N. Atl.	: --	47,666	35,985	26,077	15,326	508	15	1,827	4,438	9,170	803	50	68,035
E. N. Cent.	: 13	1,037	9,129	20,230	3,669	136	3	838	3,479	4,766	341	1	209,900
W. N. Cent.	: --	2,090	9,550	31,882	12,314	401	23	989	3,771	5,278	322	13	54,484
S. Atl.	: --	194,735	59,218	281,199	87,797	2,982	57	9,675	47,686	93,031	4,423	2,948	79,218
S. Cent.	: --	97,395	88,387	606,351	69,090	4,049	16	13,457	61,219	82,856	9,066	696	1,247,771
West	: 27	7,025	14,104	25,799	6,246	262	9	1,025	1,570	5,541	366	2	1,355,278
U. S.	: 40	349,948	216,373	991,508	194,442	8,338	123	27,811	122,163	200,642	15,321	3,710	83,908
Maine	: --	25,826	12,405	8,459	4,827	176	---	1,073	1,576	3,587	86	---	33,690
Mass.	: --	1,394	3,028	1,137	1,264	40	1	95	297	339	23	50	11,297
Conn.	: --	2,828	5,656	2,483	150	15	---	36	59	1,727	1	---	3,264
N. J.	: --	119	12	---	11	---	---	1	---	---	---	---	154
Pa.	: --	16,855	13,039	13,164	8,725	273	14	616	2,380	3,300	693	---	27,295
Ohio	: --	198	1,832	2,746	780	33	---	139	854	463	23	---	3,143
Ind.	: 2	437	2,485	3,851	913	16	---	196	735	884	226	1	2,651
Ill.-Mich. 1/	: --	110	3,854	4,066	774	9	---	84	1,243	2,398	82	---	3,166
Wis.	: 11	292	957	9,567	1,202	78	3	419	647	1,021	10	---	1,882
Mo.	: --	1,644	5,985	27,434	10,675	201	23	902	3,315	4,240	301	10	11,858
Del.	: --	44,760	9,834	29,888	16,342	669	11	781	4,386	3,924	355	2	36,932
Md.	: --	51,405	4,399	36,607	16,527	906	3	1,190	6,482	4,333	394	22	51,410
Va.	: --	3,897	11,354	22,514	5,492	35	---	251	3,291	3,115	261	---	26,489
N. C.	: --	26,364	12,393	43,444	14,791	441	12	2,566	12,199	13,519	1,058	64	79,746
S. C.	: --	4,013	2,056	6,908	480	16	1	438	1,898	2,778	309	26	17,334
Ga.	: --	62,917	16,987	140,038	33,456	883	29	4,356	18,956	65,129	2,046	2,834	250,050
Ky.	: --	1,318	5,538	8,166	431	157	1	718	881	1,311	1,443	2	6,239
Tenn.	: --	8,211	3,138	8,513	5,556	81	---	636	5,004	10,400	327	89	43,324
Ala.	: --	24,590	9,467	131,861	9,105	412	5	1,706	9,298	19,399	1,449	147	87,839
Miss.	: --	29,844	11,840	91,005	8,846	473	---	2,239	8,504	17,764	1,763	214	73,350
Ark.	: --	17,858	17,760	283,756	26,417	1,353	9	3,943	23,640	19,445	2,754	70	97,035
La.-Okla. 1/	: --	3,600	14,095	30,954	5,115	484	---	1,157	6,083	4,364	765	---	3,155
Texas	: --	11,974	26,549	52,096	13,620	1,089	1	3,958	7,809	10,173	565	174	11,154
Idaho	: --	19	2,651	4,478	19	16	---	166	161	252	140	1	2,035
Wash.	: --	261	3,449	961	651	21	---	70	365	506	55	1	1,999
Calif.	: --	6,574	7,584	20,324	5,484	214	8	770	1,029	4,776	166	---	17,898

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1962 and 1963

Region and State	Number inspected	Pounds			Average live weight			Total pounds			Post-mortem condemnations		
		inspected			inspected			: certified			Pounds (NYD)		
		1962	1963	1,000	1962	1963	1,000	1962	1963	1,000	1962	1963	Percent
	Thou.	Thou.	Thou.	pounds	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent	Percent
N. Atl.	1,361	1,137	7,060	5,844	5.19	5.14	4,922	3,976	99	85	1.56	1.62	
E. N. Cent.	1,427	1,497	6,204	6,366	4.35	4.25	4,343	4,433	145	115	2.60	2.02	
W. N. Cent.	2,127	1,824	9,956	8,635	4.68	4.73	6,663	5,715	250	238	2.80	3.09	
S. Atl.	1,339	1,432	7,487	8,126	5.59	5.67	5,253	5,676	136	165	2.02	2.27	
S. Cent.	805	995	4,896	5,504	6.08	5.53	3,375	3,740	135	159	3.07	3.23	
West	1,158	1,351	5,008	6,030	4.32	4.46	3,342	3,987	130	174	2.89	3.22	
U. S.	8,217	8,236	40,611	40,505	4.94	4.92	27,898	27,527	895	936	2.46	2.58	
Maine	260	142	1,688	922	6.50	6.48	1,234	674	31	17	2.09	2.00	
N. Y.	120	73	554	325	4.60	4.46	469	223	6	4	1.26	1.39	
N. J.	522	442	2,059	1,760	3.94	3.98	1,275	1,090	33	31	1.76	1.97	
Pa.	214	202	1,243	1,103	5.81	5.45	862	757	15	13	1.32	1.34	
Ohio	519	476	2,235	2,053	4.30	4.32	1,524	1,396	45	41	2.22	2.23	
Ind.	388	389	1,777	1,655	4.58	4.25	1,231	1,129	42	27	2.60	1.83	
Ill.	416	438	1,744	1,826	4.20	4.17	1,187	1,234	46	30	2.95	1.83	
Mich.	11	47	53	203	4.83	4.32	37	134	---	4	.89	1.86	
Wis.	93	147	395	629	4.25	4.27	364	540	12	13	3.40	2.38	
Minn.	887	763	3,789	3,253	4.27	4.26	2,505	2,074	117	106	3.45	3.64	
Iowa	143	106	636	471	4.44	4.43	444	330	12	10	2.16	2.39	
Mo.	732	592	3,721	3,234	5.08	5.46	2,506	2,209	64	63	1.93	2.19	
Del.	58	15	453	119	7.80	7.81	333	87	7	3	1.74	2.33	
Md.	313	---	1,262	---	4.03	---	879	---	22	---	2.01	---	
Va.	214	168	1,138	1,030	5.33	6.12	794	731	17	17	1.71	1.87	
N. C.	339	547	1,955	2,985	5.76	5.46	1,349	2,095	33	52	1.86	1.93	
S. C.	24	16	160	102	6.53	6.50	113	69	3	2	2.69	2.70	
Ga.	375	395	2,433	2,667	6.48	6.75	1,726	1,859	52	69	2.40	2.86	
Ky.	56	76	298	302	5.34	3.96	204	209	5	5	2.17	1.83	
Tenn.	147	286	1,011	1,537	6.88	5.36	689	1,029	23	43	2.51	3.13	
Ala.	69	113	466	681	6.74	6.04	341	480	11	16	2.58	2.69	
Miss.	66	75	383	460	5.85	6.13	269	322	7	9	2.11	2.18	
Ark.	65	113	495	852	7.59	6.42	332	581	21	26	4.59	3.39	
La.-Okla.	161	111	1,049	618	5.52	5.57	733	417	33	24	3.52	4.36	
Texas	241	201	1,194	1,054	4.96	5.23	807	702	35	36	3.33	3.80	
Idaho	22	22	103	126	4.67	5.70	72	88	2	2	1.76	2.52	
Utah	40	30	150	116	3.75	3.95	108	83	1	1	1.09	.92	
Wash.	124	157	549	691	4.44	4.40	357	440	11	20	2.10	3.18	
Calif.	969	1,142	4,198	5,097	4.33	4.46	2,799	3,376	116	151	3.08	3.29	

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations. 5/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1963

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver :ination:	Contam- ination:	Over-: scald:	Decom- position:	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	1,994	4,600	245	2,473	1,633	4	307	514	1,136	64	4	7,609	20,583
E. N. Cent.	1,705	4,210	8,377	47	4,716	4,842	53	723	1,180	1,161	72	3	4,904	31,993
W. N. Cent.	9,507	2,656	11,642	365	8,380	5,505	217	1,091	893	2,605	201	54	12,160	55,276
S. Atl.	22	1,789	4,472	796	4,327	1,382	1	428	1,190	1,996	207	23	14,458	31,091
S. Cent.	3	3,610	5,862	349	7,662	1,812	106	473	809	3,414	46	27	11,538	35,711
West	1	1,402	8,946	281	5,626	7,385	144	877	1,452	2,190	86	3	16,129	44,522
U. S.	11,238	15,661	43,899	2,083	33,184	22,559	525	3,899	6,038	12,502	676	114	66,798	219,176
Maine	---	165	1,003	102	624	142	---	28	39	288	9	---	512	2,912
N. Y.	---	56	495	---	195	328	---	46	91	25	24	2	---	1,262
N. J.	---	1,165	2,049	124	529	553	---	81	275	344	18	1	4,819	9,958
Pa.	---	282	436	10	541	331	---	114	64	312	8	1	748	2,847
Ohio	375	2,122	2,812	2	1,893	1,488	6	223	740	412	14	3	1,702	11,792
Ind.	189	1,049	1,788	4	415	1,204	16	89	60	339	24	---	1,712	6,889
Ill.	750	641	2,943	36	1,548	1,520	30	305	291	340	31	---	352	8,787
Mich.	6	125	363	3	62	195	---	25	57	21	2	---	---	859
Wis.	385	273	471	2	798	435	1	81	32	49	1	---	1,138	3,666
Minn.	4,376	641	1,681	147	4,036	3,017	147	615	463	1,727	145	8	8,242	25,245
Iowa	502	38	2,081	---	57	158	---	77	58	95	1	---	---	3,067
Mo.	565	947	3,844	73	1,437	911	70	297	299	442	51	46	3,036	12,018
Del.	---	45	51	4	97	23	---	3	6	21	4	---	19	273
Va.	---	233	598	19	1,008	407	---	24	162	186	48	---	962	3,647
N. C.	---	788	719	460	1,334	238	---	125	558	725	83	---	5,703	10,733
S. C.	---	38	38	3	24	10	1	7	20	36	---	1	202	380
Ga.	---	102	600	45	731	468	---	123	229	877	11	16	7,387	10,589
Ky.	---	44	153	42	3	224	---	13	5	108	---	---	1,070	1,662
Tenn.	---	785	3,320	47	2,222	141	---	216	179	597	5	11	2,306	9,829
Ala.	---	84	30	121	16	113	---	15	51	210	---	---	3,129	3,769
Miss.	---	65	274	11	139	35	---	16	29	153	5	7	1,109	1,843
Ark.	---	70	66	86	880	445	---	33	79	485	17	---	1,636	3,797
La., Okla. 1/	3	253	1,410	7	1,798	599	105	45	183	1,057	8	7	12	5,487
Texas	---	2,309	609	35	2,604	255	1	135	283	804	11	2	2,276	9,324
Idaho	---	66	426	21	74	70	---	20	8	71	---	---	14	770
Utah	---	48	193	3	15	16	---	3	9	8	2	---	---	298
Wash.	---	286	1,777	2	766	406	---	35	216	236	21	---	1,757	5,502
Calif.	---	1,002	6,550	255	4,771	6,893	144	819	1,219	1,875	63	3	14,358	37,952

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1963

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	82	---	16	---	---	19	2	19	---	---	6	144
E. N. Cent.	---	8	259	545	166	2	---	9	128	93	1	---	277	1,488
W. N. Cent.	---	24	1,023	774	267	---	---	44	89	230	18	4	219	2,592
S. Atl.	---	4	228	149	558	2	---	18	26	59	1	1	849	1,895
S. Cent.	---	10	212	143	376	---	---	1	5	29	2	---	317	1,095
West	2	17	1,328	1,600	1,427	6	---	108	76	212	16	---	2,183	6,975
U. S.	2	63	3,132	3,211	2,810	10	---	199	326	642	38	5	3,851	14,289
Pa.	---	---	22	---	9	---	---	---	1	4	---	---	6	42
Ohio	---	6	61	13	36	---	---	---	18	7	---	---	1	142
Wis.	---	2	164	514	115	2	---	7	108	79	1	4	273	1,269
Minn.	---	---	811	693	167	---	---	40	55	128	7	---	128	2,029
Iowa	---	20	140	37	26	---	---	4	30	34	11	---	20	322
Va.	---	---	20	71	94	---	---	3	8	8	---	---	582	786
N. C.	---	---	148	16	382	---	---	11	15	33	---	---	256	861
Texas	---	10	185	116	373	---	---	1	5	27	---	1	291	1,009
Colo.	---	---	179	258	221	1	---	2	28	21	2	---	1	713
Utah	2	17	271	14	257	---	---	51	12	5	4	---	---	633
Oreg.	---	---	93	1	125	---	---	2	7	3	---	---	---	231
Calif.	---	---	785	1,327	824	5	---	53	29	183	10	---	2,182	5,398

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, June 1962 and 1963

Region and State	Number inspected	Pounds		Average		Total pounds		Post-mortem condemnations	
		1962	1963	inspected	live weight inspected 1/	1962	1963	Ready-to-cook wt. (NYD)	Percent 2/
		1,000	1,000	1,000	1,000	1,000	1,000	1,000	1962 : 1963
N. Atl.	Thou. 24	15	128	201	8.36	151	93	2	Percent 4.26
E. N. Cent.	212	191	1,858	8.76	9.03	1,474	1,351	13	0.93
W. N. Cent.	261	293	2,246	8.61	8.68	1,754	2,016	23	.78
S. Atl.	299	280	2,480	8.29	8.63	1,845	1,794	38	1.14
S. Cent.	37	52	298	8.05	8.00	232	313	2	1.71
West	68	224	493	7.25	8.35	379	1,440	6	.75
U. S.	901	1,055	7,576	8.41	8.63	5,835	7,007	84	1.35
Ohio	34	23	296	8.79	9.21	151	169	2	1.23
Wis.	177	168	1,557	8.82	9.00	1,238	1,182	11	1.54
Minn.	196	247	1,686	8.62	8.75	1,320	1,710	20	.49
Va.	299	280	2,480	8.29	8.63	1,845	1,794	38	.76
Ark. 3/	37	---	297	8.10	---	231	---	2	1.27
Calif.	55	205	374	6.81	8.38	284	1,316	5	1.71
								23	2.06
								---	.76
								23	1.26
								1	1.47

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, June 1963

Region and State	Tuber-: culosis	Leu-: cosis	Septi-: cemia	Airsac-: culitis	Inflam-: matory	Para-: sites	Bruises		Cadaver: Contam-: ination		Over-: Decom-: position		Other : Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	19	350	1	---	2	2	---	---	---	17	393	---
E. N. Cent.	---	3	224	151	1,538	---	13	118	122	28	---	1,684	3,882	---
W. N. Cent.	---	2	690	538	90	---	15	80	311	6	3	276	2,011	---
S. Atl.	---	1	74	2,775	263	---	5	75	65	6	---	1,890	5,154	---
S. Cent.	---	---	50	102	58	---	---	6	41	---	---	76	333	---
West	---	7	450	144	191	---	41	49	372	21	---	1,360	2,637	---
U. S.	---	13	1,507	4,060	2,141	---	76	330	913	61	3	5,303	14,410	---
Ohio	---	---	20	---	15	---	4	15	19	17	---	14	104	---
Wis.	---	3	204	151	1,523	---	9	103	103	11	---	1,670	3,778	---
Minn.	---	---	643	434	69	---	14	70	264	6	1	119	1,620	---
Va.	---	1	74	2,775	263	---	5	75	65	6	---	1,890	5,154	---
Calif.	---	7	437	139	180	---	39	22	364	21	---	1,360	2,571	---

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, June 1962 and 1963

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified		Pounds (NYD)		Percent 2/	
	: 1962 : 1963		: 1962 : 1963		: 1962 : 1963		: 1962 : 1963		: 1962 : 1963		: 1962 : 1963	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl. 3/	19	8	378	146	19.89	18.50	286	120	46	34	1.51	1.30
E. N. Cent.	182	152	3,391	2,903	18.63	19.10	2,691	2,328	85	68	2.46	2.01
W. N. Cent.	204	201	3,846	3,758	18.85	18.70	3,017	2,954	4	18	1.67	1.91
S. Atl.	17	60	266	1,051	15.65	17.52	211	839	37	39	1.95	1.82
S. Cent.	111	127	2,114	2,378	19.05	18.72	1,667	1,877	106	175	1.77	1.80
West	331	539	6,645	10,782	20.08	20.00	5,256	8,448	278	334	1.86	1.77
U. S.	864	1,087	16,640	21,020	19.26	19.34	13,128	16,566	104	135	1.81	2.04
Ohio	95	69	1,688	1,303	17.81	18.93	1,341	1,041	19	9	1.23	.83
Wis.	45	32	843	578	18.93	17.98	669	456	16	10	2.11	1.87
Minn.	87	70	1,643	1,270	18.79	18.14	1,291	977	40	27	2.74	2.42
Iowa	25	21	481	406	18.96	19.23	385	327	5	4	1.36	1.07
Va.	12	26	187	438	15.43	16.54	148	340	2	8	1.15	2.25
Texas	79	89	1,519	1,703	19.24	19.21	1,208	1,353	25	30	1.81	1.98
Calif.	316	364	6,367	7,367	20.13	20.23	5,032	5,713	104	135	1.81	2.04

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1963

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver decomposition	Contam- ination	Over- scaled	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	10	5	5	---	---	1	17	3	---	---	---	41
E. N. Cent.	3	25	389	286	397	4	1	21	61	48	---	10	143	1,388
W. N. Cent.	2	4	886	750	533	4	---	62	35	75	---	---	165	2,516
S. Atl.	---	4	36	112	252	1	---	---	4	4	---	---	219	632
S. Cent.	---	28	538	336	721	39	5	17	13	72	6	---	200	1,975
West	---	39	1,366	605	2,157	99	1	399	183	227	1	2	2,444	7,523
U. S.	5	100	3,225	2,094	4,065	147	7	500	313	429	7	12	3,171	14,075
Ohio	---	17	119	92	119	4	---	4	31	7	---	---	3	396
Wis.	3	6	67	131	146	---	---	3	14	24	---	10	112	516
Minn.	---	---	228	543	191	1	---	22	18	30	---	---	60	1,093
Iowa	---	1	98	45	33	---	---	3	1	1	---	---	---	182
Va.	---	---	16	83	175	---	---	---	1	2	---	---	110	387
Texas	---	28	491	242	586	37	5	16	13	54	1	2	110	1,585
Calif.	---	23	755	288	1,719	85	1	352	72	196	1	---	2,443	5,935

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.